



## QingDao Vormax Construction Machinery Co., Ltd.

# 08

### brush cutter VORMAX810-130A

|    |                            |                      |
|----|----------------------------|----------------------|
| 01 | Packing Dimension          | 1510*1810*800mm      |
| 02 | Overall Machine Dimension  | 1430*1710*680 mm ,   |
| 03 | Mowing Width               | 1300mm               |
| 04 | Cutting Disc Lifting Range | 10 - 200mm           |
| 05 | Travel Speed               | 0 - 6km/h            |
| 06 | Travel Mode                | Electric Track Drive |
| 07 | Max Climbing Angle         | 60°                  |
| 08 | Number of Blades           | 4 pcs                |

|    |                        |                                            |
|----|------------------------|--------------------------------------------|
| 09 | Operation Mode         | Remote Control Operation                   |
| 10 | Machine Weight         | 470KG (Bare Unit) / 540KG (With Package)   |
| 11 | Power                  | 27HP                                       |
| 12 | Starting Method        | Remote Start & Stop via Controller         |
| 13 | Max Fuel Consumption   | 2L/H                                       |
| 14 | Fuel Type              | Gasoline with RON 92 or higher             |
| 15 | Engine                 | Briggs & Stratton                          |
| 16 | Max Working Efficiency | 4000m <sup>2</sup> - 5500m <sup>2</sup> /h |

Corporate Email:  
[ethan@qingdaovormaxmachinery.com](mailto:ethan@qingdaovormaxmachinery.com)

WhatsApp/WeChat:  
+86 18853773089



# QingDao Vormax Construction Machinery Co., Ltd.

08

brush cutter VORMAX810-110A

|    |                            |                                                                                                                |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|
| 01 | Packing Dimension          | 1510*1810*800mm                                                                                                |
| 02 | Overall Machine Dimension  | 1500*1400*630 mm                                                                                               |
| 03 | Mowing Width               | 1100mm                                                                                                         |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       |
| 05 | Travel Speed               | 0-6km/h                                                                                                        |
| 06 | Travel Mode                | Electric Track Drive                                                                                           |
| 07 | Max Climbing Angle         | 60°                                                                                                            |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. |

|    |                        |                                           |
|----|------------------------|-------------------------------------------|
| 09 | Operation Mode         | Remote Control Operation                  |
| 10 | Machine Weight         | 380KG (Bare Unit) / 446KG (With Package)  |
| 11 | Power                  | 27HP                                      |
| 12 | Starting Method        | Remote Start & Stop via Controller        |
| 13 | Cycle                  | 4-Stroke                                  |
| 14 | Fuel Type              | Gasoline with RON 92 or higher            |
| 15 | Engine                 | Briggs & Stratton                         |
| 16 | Max Working Efficiency | 4000m <sup>2</sup> -5500m <sup>2</sup> /h |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

08

### brush cutter VORMAX810-90A

|    |                            |                                                                                                                |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|
| 01 | Packing Dimension          | 1510*1810*800mm                                                                                                |
| 02 | Overall Machine Dimension  | 1400*1300*630 mm                                                                                               |
| 03 | Mowing Width               | 900mm                                                                                                          |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       |
| 05 | Travel Speed               | 0-6km/h                                                                                                        |
| 06 | Travel Mode                | Electric Track Drive                                                                                           |
| 07 | Max Climbing Angle         | 60°                                                                                                            |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. |

|    |                        |                                           |
|----|------------------------|-------------------------------------------|
| 09 | Operation Mode         | Remote Control Operation                  |
| 10 | Machine Weight         | 350KG (Bare Unit) / 406KG (With Package)  |
| 11 | Power                  | 27HP                                      |
| 12 | Starting Method        | Remote Start & Stop via Controller        |
| 13 | Cycle                  | 4-Stroke                                  |
| 14 | Fuel Type              | Gasoline with RON 92 or higher            |
| 15 | Engine                 | Briggs & Stratton                         |
| 16 | Max Working Efficiency | 3000m <sup>2</sup> -4000m <sup>2</sup> /h |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

08

### brush cutter VORMAX764-110A

|    |                            |                                                                                                                |    |                        |                                           |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|----|------------------------|-------------------------------------------|
| 01 | Packing Dimension          | 1510*1590*800mm                                                                                                | 09 | Operation Mode         | Remote Control Operation                  |
| 02 | Overall Machine Dimension  | 1500*1400*630 mm                                                                                               | 10 | Machine Weight         | 380KG (Bare Unit) / 445KG (With Package)  |
| 03 | Mowing Width               | 1100mm                                                                                                         | 11 | Power                  | 27HP                                      |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       | 12 | Starting Method        | Remote Start & Stop via Controller        |
| 05 | Travel Speed               | 0-6km/h                                                                                                        | 13 | Cycle                  | 4-Stroke                                  |
| 06 | Travel Mode                | Electric Track Drive                                                                                           | 14 | Fuel Type              | Gasoline with RON 92 or higher            |
| 07 | Max Climbing Angle         | 60°                                                                                                            | 15 | Engine                 | LONCIN                                    |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. | 16 | Max Working Efficiency | 4000m <sup>2</sup> -5000m <sup>2</sup> /h |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

# 08

### brush cutter VORMAX764-90A

|    |                            |                                                                                                                |    |                        |                                           |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|----|------------------------|-------------------------------------------|
| 01 | Packing Dimension          | 1510*1370*800mm                                                                                                | 09 | Operation Mode         | Remote Control Operation                  |
| 02 | Overall Machine Dimension  | 1430*1300*700 mm                                                                                               | 10 | Machine Weight         | 308KG (Bare Unit) / 380KG (With Package)  |
| 03 | Mowing Width               | 900mm                                                                                                          | 11 | Power                  | 27HP                                      |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       | 12 | Starting Method        | Remote Start & Stop via Controller        |
| 05 | Travel Speed               | 0-6km/h                                                                                                        | 13 | Cycle                  | 4-Stroke                                  |
| 06 | Travel Mode                | Electric Track Drive                                                                                           | 14 | Fuel Type              | Gasoline with RON 92 or higher            |
| 07 | Max Climbing Angle         | 60°                                                                                                            | 15 | Engine                 | LONCIN                                    |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. | 16 | Max Working Efficiency | 3000m <sup>2</sup> -4000m <sup>2</sup> /h |

Corporate Email:  
[ethan@qingdaovormaxmachinery.com](mailto:ethan@qingdaovormaxmachinery.com)

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

08

### brush cutter VORMAX500-90A

|    |                            |                                                                                                                |    |                        |                                          |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|----|------------------------|------------------------------------------|
| 01 | Packing Dimension          | 1510*1370*800mm                                                                                                | 09 | Operation Mode         | Remote Control Operation                 |
| 02 | Overall Machine Dimension  | 1400*1300*630 mm                                                                                               | 10 | Machine Weight         | 300KG (Bare Unit) / 390KG (With Package) |
| 03 | Mowing Width               | 900mm                                                                                                          | 11 | Power                  | 18HP                                     |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       | 12 | Starting Method        | Remote Start & Stop via Controller       |
| 05 | Travel Speed               | 0-6km/h                                                                                                        | 13 | Cycle                  | 4-Stroke                                 |
| 06 | Travel Mode                | Electric Track Drive                                                                                           | 14 | Fuel Type              | Gasoline with RON 92 or higher           |
| 07 | Max Climbing Angle         | 60°                                                                                                            | 15 | Engine                 | Brigg&Stratton                           |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. | 16 | Max Working Efficiency | 2500m <sup>2</sup> /h                    |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

08

### brush cutter VORMAX608-90A

|    |                            |                                                                                                                |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|
| 01 | Packing Dimension          | 1510*1370*800mm                                                                                                |
| 02 | Overall Machine Dimension  | 1400*1300*630 mm                                                                                               |
| 03 | Mowing Width               | 900mm                                                                                                          |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       |
| 05 | Travel Speed               | 0-6km/h                                                                                                        |
| 06 | Travel Mode                | Electric Track Drive                                                                                           |
| 07 | Max Climbing Angle         | 70°                                                                                                            |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. |

|    |                        |                                          |
|----|------------------------|------------------------------------------|
| 09 | Operation Mode         | Remote Control Operation                 |
| 10 | Machine Weight         | 330KG (Bare Unit) / 390KG (With Package) |
| 11 | Power                  | 22HP                                     |
| 12 | Starting Method        | Remote Start & Stop via Controller       |
| 13 | Cycle                  | 4-Stroke                                 |
| 14 | Fuel Type              | Gasoline with RON 92 or higher           |
| 15 | Engine                 | LONCIN                                   |
| 16 | Max Working Efficiency | 4000m <sup>2</sup> /h                    |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

08

### brush cutter VORMAX608-80A

|    |                            |                                                                                                                |    |                        |                                           |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|----|------------------------|-------------------------------------------|
| 01 | Packing Dimension          | 1510*1270*800mm                                                                                                | 09 | Operation Mode         | Remote Control Operation                  |
| 02 | Overall Machine Dimension  | 1380*1200*630 mm                                                                                               | 10 | Machine Weight         | 328KG (Bare Unit) / 380KG (With Package)  |
| 03 | Mowing Width               | 800mm                                                                                                          | 11 | Power                  | 22HP                                      |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       | 12 | Starting Method        | Remote Start & Stop via Controller        |
| 05 | Travel Speed               | 0-6km/h                                                                                                        | 13 | Cycle                  | 4-Stroke                                  |
| 06 | Travel Mode                | Electric Track Drive                                                                                           | 14 | Fuel Type              | Gasoline with RON 92 or higher            |
| 07 | Max Climbing Angle         | 60°                                                                                                            | 15 | Engine                 | LONCIN                                    |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. | 16 | Max Working Efficiency | 2500m <sup>2</sup> ~3000m <sup>2</sup> /h |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

# 08

### brush cutter VORMAX452-80A

|    |                            |                                                                                                                |    |                        |                                           |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------|----|------------------------|-------------------------------------------|
| 01 | Packing Dimension          | 1510*1270*800mm                                                                                                | 09 | Operation Mode         | Remote Control Operation                  |
| 02 | Overall Machine Dimension  | 1380*1200*630 mm                                                                                               | 10 | Machine Weight         | 323KG (Bare Unit) / 375KG (With Package)  |
| 03 | Mowing Width               | 800mm                                                                                                          | 11 | Power                  | 16HP                                      |
| 04 | Cutting Disc Lifting Range | 10-200mm                                                                                                       | 12 | Starting Method        | Remote Start & Stop via Controller        |
| 05 | Travel Speed               | 0-5km/h                                                                                                        | 13 | Cycle                  | 4-Stroke                                  |
| 06 | Travel Mode                | Electric Track Drive                                                                                           | 14 | Fuel Type              | Gasoline with RON 92 or higher            |
| 07 | Max Climbing Angle         | 60°                                                                                                            | 15 | Engine                 | LONCIN                                    |
| 08 | Application Scope          | River embankment & highway slope protection, orchards, lawns under photovoltaic panels, land reclamation, etc. | 16 | Max Working Efficiency | 2500m <sup>2</sup> ~2800m <sup>2</sup> /h |

Corporate Email:  
[ethan@qingdaovormaxmachinery.com](mailto:ethan@qingdaovormaxmachinery.com)

WhatsApp/WeChat:  
+86 18853773089



## QingDao Vormax Construction Machinery Co., Ltd.

# 08

### brush cutter VORMAX195-80YC

|    |                            |                                                     |
|----|----------------------------|-----------------------------------------------------|
| 01 | Packing Dimension          | 1740*920*1070mm                                     |
| 02 | Overall Machine Dimension  | 1630*950*700 mm                                     |
| 03 | Mowing Width               | 800mm                                               |
| 04 | Cutting Disc Lifting Range | 30 - 120mm                                          |
| 05 | Travel Speed               | 0-5km/h                                             |
| 06 | Travel Mode                | Electric Track Drive                                |
| 07 | Max Climbing Angle         | 45°                                                 |
| 08 | Number of Blades           | 48 pcs (2 curved blades + 1 straight blade per set) |

|    |                        |                           |
|----|------------------------|---------------------------|
| 09 | Operation Mode         | Remote Control Operation  |
| 10 | Machine Weight         | 372KG                     |
| 11 | Power                  | 18HP                      |
| 12 | Starting Method        | Electric Start            |
| 13 | Max Fuel Consumption   | 1L/H                      |
| 14 | Fuel Type              | Diesel                    |
| 15 | Engine                 | Yuchai Power / Kepu Power |
| 16 | Max Working Efficiency | 2000m <sup>2</sup> /h     |

Corporate Email:  
[ethan@qingdaovormaxmachinery.com](mailto:ethan@qingdaovormaxmachinery.com)

WhatsApp/WeChat:  
+86 18853773089



# QingDao Vormax Construction Machinery Co., Ltd.

08

brush cutter VORMAX188-56YC

|    |                           |                                                                                 |
|----|---------------------------|---------------------------------------------------------------------------------|
| 01 | Packing Dimension         | 1310*1060*830mm                                                                 |
| 02 | Overall Machine Dimension | 1250*960*680 mm                                                                 |
| 03 | Mowing Width              | 550mm                                                                           |
| 04 | Max Working Efficiency    | 1300m <sup>2</sup> /h                                                           |
| 05 | Travel Speed              | 0-5km/h                                                                         |
| 06 | Travel Mode               | Electric Track Drive                                                            |
| 07 | Max Climbing Angle        | 45°                                                                             |
| 08 | Application Scope         | River embankment & highway slope protection, reeds, orchards, thick grass, etc. |

|    |                   |                                        |
|----|-------------------|----------------------------------------|
| 09 | Operation Mode    | Remote Control Operation               |
| 10 | Machine Weight    | 270KG                                  |
| 11 | Power             | 12HP                                   |
| 12 | Starting Method   | Electric Start                         |
| 13 | Cutting Structure | Horizontal Shaft Flail Blades (28 pcs) |
| 14 | Fuel Type         | Diesel                                 |
| 15 | Engine            | Yuchai Power                           |
| 16 | /                 | /                                      |

Corporate Email:  
ethan@qingdaovormaxmachinery.com

WhatsApp/WeChat:  
+86 18853773089